

## Hesco Barrier



### Description

The HESCO barrier come in a variety of sizes. Most of the hesco can also be stacked,it is made of a collapsible wire mesh container and heavy duty fabric liner, and used as a temporary to semi-permanent dike or barrier against blast or small-arms.

#### Hesco Barrier Features

- ❖ Having a Galvan coated steel mesh framework
- ❖ Integrated cells to provide internal structural integrity.
- ❖ Exceptional strength and structural integrity
- ❖ High tensile and anti-impact capability
- ❖ Making transportation efficient and rapid

#### Hesco Barrier Application

Perimeter security and defending walls  
Equipment revetments  
explosive and contraband search areas  
Ammunition compounds  
Personnel and material bunkers  
Observation points  
Defensive firing positions  
Highway checkpoints  
Border crossing checkpoints  
Protection existing structures  
High way traffic management  
Flood control  
Water courses  
Emergency flood deployment

**Company:**Anping County Hangtong Wire Mesh Co.,Ltd.













**Address:**East of Baoheng Road,South of Anping County,Hebei P.R China.

**Website:**<http://www.hangtongfence.com> Email: [info@hangtongfence.com](mailto:info@hangtongfence.com) TEL: 86-318-751633 FAX: 86-318-7529613

## Specifications

### Welded Gabion Specification

Model	Height	Width	Length
MIL1 5442 R	54"(1.37M)	42"(1.06M)	32'9"(10M)
MIL2 2424 R	24"(0.61M)	24"(0.61M)	4'(1.22M)
MIL3 3939 R	39"(1.00M)	39"(1.00M)	32'9"(10M)
MIL4 3960 R	39"(1.00M)	60"(1.52M)	32'9"(10M)
MIL5 2424 R	24"(0.61M)	24"(0.61M)	10'(3.05M)
MIL6 6624 R	66"(1.68M)	24"(0.61M)	10'(3.05M)
MIL7 8784 R	87"(2.21M)	84"(2.13M)	91'(27.74M)
MIL8 5448 R	54"(1.37M)	48"(1.22M)	32'9"(10M)
MIL9 3930 R	39"(1.00M)	30"(0.76M)	30"(9.14M)
MIL10 8760 R	87"(2.21M)	60"(1.52M)	100'(32.50M)
MIL11 4812 R	48"(1.22M)	12"(0.30M)	4'(1.22M)
MIL12 8442 R	84"(2.13M)	42"(1.06M)	108'(33M)



Company: Anping County Hangtong Wire Mesh Co., Ltd.

Address: East of Baoheng Road, South of Anping County, Hebei P.R. China.

Website: <http://www.hangtongfence.com> Email: [info@hangtongfence.com](mailto:info@hangtongfence.com) TEL: 86-318-751633 FAX: 86-318-7529613



Anping County Hangtong Wire Mesh Co.,LTD  
Best fence for global market.

---

## Materail

Hesco Barrier Wire diameter: 4mm - 5mm

Military Barrier Mesh Size: 76.2mm x 76.2mm, 100mm x 100mm

Military Barrier Panel size: 2.21m x2.13m, 1.37m x1.06m, 0.61m x0.61m, it also can be customized according to customers' requirement

Geotextile: in heavy duty non-woven polypropylene

Finish: hot dipped galvanized, zinc-aluminum alloy coated after welded

Packing: wrapped with shrink film or packed in pallet.

Steel grade can be chose.

## Trade Item

Delivery Terms:FOB, CIF

Payment Currency:USD, EUR, AUD,JPY, CAD, GBP, CNY

Payment Item:T/T, L/C, PayPal, Escrow

Nearest Port:Xingang port,Qingdao port

Delivery Time:General after 25days upon received T/T30% advance payment

Popular Payment detail: T/T 30% in advance as deposit, the balance against received the copy of B/L.



HIT-FENCE

**Company:**Anping County Hangtong Wire Mesh Co.,Ltd.

**Address:**East of Baoheng Road,South of Anping County,Hebei P.R China.

**Website:**<http://www.hangtongfence.com> Email: [info@hangtongfence.com](mailto:info@hangtongfence.com) TEL: 86-318-751633 FAX: 86-318-7529613