

Concertina Razor wire



Description

Concertina wire is supplied typically in single coils or crossed spiral coils. We can produce razor type barbed wire in concertina coils or straight lines. Blade types and specifications vary according to the customers' requirements. In our general products, standard materials for razor type barbed wire are either galvanized or stainless steel.

New Technology: Electrophoretic paint razor wire

Our engineers team have researched new technology of electrophoretic paint in wire mesh products in recently years. Firstly application in razor wire industry base on the traditional hot dipped galvanized. And got the patent (No.ZL201220274870.4), Solved the distraught problem of rust on cutting section. This technology have landmark signification in security fence industry.

Concertina Razor Wire Features

- ❖ Various type can be chose, concertina coil, flat coil, stright razor wire, single coil, etc
- ❖ Various material can be chose, galvanized, stainless steel, with various color.
- ❖ Non-climbing
- ❖ Quick and easy for installation

Concertina Razor Wire Application

It is used as security fencing and isolation for gardens, residences, military sites, border protection, prison, airport and other sites requiring high security.

Four popular type for application:

Single Coil Razor Wire Concertina: Hot dipped galvanized steel plate and strip processed razor wire coils. Extended in spiral type to form a temporary obstacle. No clips required for this type.

Large Coils Crossed Concertina Wire: Crossed spirals of razor wire clipped together to make better security fencing than the single coils razor tape lines.

Y Post Supported Concertina Wire Fences: Concertina wire mounted on top of Y fence post to make an obstacles barriers.

Razor Wire Mobile Obstacle Barriers / Military Use Concertina Wire:

Concertina wire or crossed razor wire has two features suitable for military uses. First, it is quick and easy for installation as mobile security barriers. Speed and time is very important in wars or military uses. Only three men are needed to be set up and retrieval of the razor wire obstacles, fences, a saving of human resources.

Second, the razor wire barrier does not rely on any mechanical power, electricity, battery, motor, or engines. It

Company: Anping County Hangtong Wire Mesh Co., Ltd.

Address: East of Baoheng Road, South of Anping County, Hebei P.R China.

Website: <http://www.hangtongfence.com> Email: info@hangtongfence.com TEL: 86-318-751633 FAX: 86-318-7529613



Anping County Hangtong Wire Mesh Co.,LTD

Best fence for global market.

forms effective barrier to prevent possible mechanical problems caused by mechanical failure, battery shortage, the electrical failure, or engine failure.

Specifications

Razor blade type specification						
Model	Blade Style	Thickness(mm)	Wire(mm)	Barb Length(mm)	Barb Width(mm)	Barb Spacing(mm)
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-15		0.5±0.05	2.5±0.1	18±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-60		0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2

Standard Razor wire Production					
Outside Dia.	Loops	Standard length covered Per Coil	Blade Type	Type	
450mm	33	7-8m	CBT-60,65	Single Coil	
500mm	56	12-13m	CBT-60,65	Single Coil	
700mm	56	13-14m	CBT-60,65	Single Coil	
960mm	56	14-15m	CBT-60,65	Single Coil	
450mm	56	8-9m	BTO-12,15,22,30	Concertina type	
500mm	56	9-10m	BTO-12,15,22,30	Concertina type	
600mm	56	10-11m	BTO-12,15,22,30	Concertina type	
700mm	56	10-12m	BTO-12,15,22,30	Concertina type	
800mm	56	11-13m	BTO-12,15,22,30	Concertina type	
900mm	56	12-14m	BTO-12,15,22,30	Concertina type	
960mm	56	13-15m	BTO-12,15,22,30	Concertina type	
980mm	56	14-16m	BTO-12,15,22,30	Concertina type	

Material

Steel plate used galvanized or stainless steel material,zinc weight and ss grade can be chose

Wire used galvanized or stainless steel wire,zinc weight and ss grade can be chose

Clips used galvanized or stainless steel,zinc weight and ss grade can be chose

Surface:Galvanized or stainless steel, then powder coating Electrophoretic paint.

Above all material from famous factory.

Powder from AKZONOBEL,Paint from Nippon.

Trade Item

Delivery Terms:FOB, CIF

Company:Anping County Hangtong Wire Mesh Co.,Ltd.

Address:East of Baoheng Road,South of Anping County,Hebei P.R China.

Website:<http://www.hangtongfence.com> Email: info@hangtongfence.com TEL: 86-318-751633 FAX: 86-318-7529613



Anping County Hangtong Wire Mesh Co.,LTD Best fence for global market.

Payment Currency:USD, EUR, AUD,JPY, CAD, GBP, CNY

Payment Item:T/T, L/C, PayPal, Escrow

Nearest Port:Xingang port,Qingdao port

Delivery Time:General after 25days upon received T/T30% advance payment

Popular Payment detail: T/T 30% in advance as deposit, the balance against received the copy of B/L.



HT-FENCE

Company:Anping County Hangtong Wire Mesh Co.,Ltd.

Address:East of Baoheng Road,South of Anping County,Hebei P.R China.

Website:<http://www.hangtongfence.com> Email: info@hangtongfence.com TEL: 86-318-751633 FAX: 86-318-7529613